

山东冠县富沃德复合材料有限公司
Shandong Guanxian Forward Composite Materials Co.,LTD.

品质证明书 MILL TEST CERTIFICATE

订货单位 CUSTOMER		CHUANGYUAN INVESTMENT (SINGAPORE) PTE. LTD		产品名称 PRODUCT		镀铝锌平板GALVALUME STEEL SHEETS							
标准 SPECIFICATION		ASTM A792		钢牌号		SS37		合同号		2025032701			
				GRADE OF STEEL				CONTRACT NO.					
						签发日期		2025.5.6		交货日期			
						DATE OF ISSUE				DATE OF DELIVERY			
生产日期 Production date	规格及重量 MATERIAL DESCRIPTION			化学成分CHEMICAL COMPOSITION% (熔炼分析HEAT ANALYSIS)					力学性能 mechanic performance			锌层重量 (g/m2) Zinc Coating	
	卷号 NO.	规格 (mm) specification	重量 MASS	C	Si	Mn	P	S	屈服点 Yield point N/mm2	抗拉 T.S Mpa	硬度 HARDNESS HRB		
2025/4/30	1	0.35x1000x3000	2084	0.07	0.15	0.1	0.021	0.015	402	423	65	154	
2025/4/30	2	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	405	425	66	155	
2025/4/30	3	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	397	417	65	153	
2025/4/30	4	0.35x1000x3000	2060	0.07	0.15	0.1	0.021	0.015	395	415	66	153	
2025/4/30	5	0.35x1000x3000	2082	0.07	0.15	0.1	0.021	0.015	402	422	67	155	
2025/4/30	6	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	402	423	65	153	
2025/4/30	7	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	405	425	66	155	
2025/4/30	8	0.35x1000x3000	2072	0.07	0.15	0.1	0.021	0.015	405	425	66	152	
2025/4/30	9	0.35x1000x3000	2080	0.07	0.15	0.1	0.021	0.015	403	423	65	156	
2025/4/30	10	0.35x1000x3000	2076	0.07	0.15	0.1	0.021	0.015	405	425	66	155	
2025/4/30	11	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	403	423	65	156	
2025/4/30	12	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	405	424	66	155	
2025/4/30	13	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	393	414	67	154	
2025/4/30	14	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	395	415	66	155	
2025/4/30	15	0.35x1000x3000	2086	0.07	0.15	0.1	0.021	0.015	402	422	67	153	
2025/4/30	16	0.35x1000x3000	2064	0.07	0.15	0.1	0.021	0.015	399	418	65	155	
2025/4/30	17	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	395	417	67	156	
2025/4/30	18	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	397	417	65	155	
2025/4/30	19	0.35x1000x3000	2074	0.07	0.15	0.1	0.021	0.015	395	415	66	156	
2025/4/30	20	0.35x1000x3000	2072	0.07	0.15	0.1	0.021	0.015	402	422	67	155	
2025/4/30	21	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	402	423	65	154	
2025/4/30	22	0.35x1000x3000	2082	0.07	0.15	0.1	0.021	0.015	405	425	66	153	
2025/4/30	23	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	397	417	65	154	
2025/4/30	24	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	395	415	66	153	
2025/4/30	25	0.35x1000x3000	2072	0.07	0.15	0.1	0.021	0.015	402	422	67	155	
2025/4/30	26	0.35x1000x3000	2064	0.07	0.15	0.1	0.021	0.015	402	423	65	154	
2025/4/30	27	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	405	425	66	151	
2025/4/30	28	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	405	425	66	153	
2025/4/30	29	0.35x1000x3000	2074	0.07	0.15	0.1	0.021	0.015	403	423	65	154	



山东冠县富沃德复合材料有限公司
Shandong Guanxian Forward Composite Materials Co.,LTD.

品质证明书 MILL TEST CERTIFICATE

订货单位 CUSTOMER		CHUANGYUAN INVESTMENT (SINGAPORE) PTE. LTD		产品名称 PRODUCT					镀铝锌平板 GALVALUME STEEL SHEETS				
标准 SPECIFICATION		ASTM A792		钢牌号 GRADE OF STEEL					SS37		合同号 CONTRACT NO.		2025032701
				签发日期 DATE OF ISSUE					2025.5.6		交货日期 DATE OF DELIVERY		
生产日期 Production date	规格及重量 MATERIAL DESCRIPTION			化学成分 CHEMICAL COMPOSITION% (熔炼分析 HEAT ANALYSIS)					力学性能 mechanic performance				
	卷号 NO.	规格 (mm) specification	重量 MASS	C	Si	Mn	P	S	屈服点 Yield point	抗拉 T.S	硬度 HARDNESS	锌层重量 (g/m2) Zinc Coating	
									N/mm2	Mpa	HRB		
2025/4/30	30	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	405	425	66	153	
2025/4/30	31	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	403	423	65	154	
2025/4/30	32	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	403	425	67	154	
2025/4/30	33	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	403	425	65	151	
2025/4/30	34	0.35x1000x3000	2086	0.07	0.15	0.1	0.021	0.015	405	424	66	154	
2025/4/30	35	0.35x1000x3000	2080	0.07	0.15	0.1	0.021	0.015	393	414	67	153	
2025/5/1	36	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	402	422	67	154	
2025/5/1	37	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	399	418	65	154	
2025/5/1	38	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	395	417	67	151	
2025/5/1	39	0.35x1000x3000	2064	0.07	0.15	0.1	0.021	0.015	397	417	65	151	
2025/5/1	40	0.35x1000x3000	2078	0.07	0.15	0.1	0.021	0.015	395	415	66	153	
2025/5/1	41	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	402	422	67	152	
2025/5/1	42	0.35x1000x3000	2066	0.07	0.15	0.1	0.021	0.015	402	423	65	153	
2025/5/1	43	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	397	417	65	153	
2025/5/1	44	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	395	415	66	152	
2025/5/1	45	0.35x1000x3000	2078	0.07	0.15	0.1	0.021	0.015	402	422	67	154	
2025/5/1	46	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	399	418	65	151	
2025/5/1	47	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	395	417	67	153	
2025/5/1	48	0.35x1000x3000	2080	0.07	0.15	0.1	0.021	0.015	397	417	65	154	
2025/5/1	49	0.35x1000x3000	2062	0.07	0.15	0.1	0.021	0.015	395	415	66	153	
2025/5/1	50	0.35x1000x3000	2068	0.07	0.15	0.1	0.021	0.015	402	422	67	154	
2025/5/1	51	0.35x1000x3000	2086	0.07	0.15	0.1	0.021	0.015	402	423	65	154	
2025/5/1	52	0.35x1000x3000	2070	0.07	0.15	0.1	0.021	0.015	397	417	65	154	
2025/5/1	53	0.35x1000x3000	2266	0.07	0.15	0.1	0.021	0.015	395	415	66	153	
			109966										
2025/5/1	1	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	402	423	65	154	
2025/5/1	2	0.40x1000x3000	2050	0.07	0.15	0.1	0.021	0.015	405	425	66	151	
2025/5/1	3	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	403	425	65	151	
2025/5/1	4	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	405	424	66	153	



山东冠县富沃德复合材料有限公司
Shandong Guanxian Forward Composite Materials Co.,LTD.

品质证明书 MILL TEST CERTIFICATE

订货单位 CUSTOMER		CHUANGYUAN INVESTMENT (SINGAPORE) PTE. LTD		产品名称 PRODUCT		镀锌锌平板 GALVALUME STEEL SHEETS						
标准 SPECIFICATION		ASTM A792		钢牌号 GRADE OF STEEL		SS37		合同号 CONTRACT NO.		2025032701		
				签发日期 DATE OF ISSUE		2025.5.6		交货日期 DATE OF DELIVERY				
生产日期 Production date	规格及重量 MATERIAL DESCRIPTION			化学成分 CHEMICAL COMPOSITION% (熔炼分析 HEAT ANALYSIS)					力学性能 mechanic performance			锌层重量 (g/m2) Zinc Coating
	卷号 NO.	规格 (mm) specification	重量 MASS	C	Si	Mn	P	S	屈服点 Yield point N/mm2	抗拉 T.S Mpa	硬度 HARDNESS HRB	
2025/5/1	5	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	393	414	67	153
2025/5/1	6	0.40x1000x3000	2040	0.07	0.15	0.1	0.021	0.015	402	422	67	152
2025/5/1	7	0.40x1000x3000	2038	0.07	0.15	0.1	0.021	0.015	399	418	65	152
2025/5/1	8	0.40x1000x3000	2038	0.07	0.15	0.1	0.021	0.015	395	417	67	155
2025/5/1	9	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	397	417	65	153
2025/5/1	10	0.40x1000x3000	2030	0.07	0.15	0.1	0.021	0.015	395	415	66	153
2025/5/1	11	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	402	422	67	152
2025/5/1	12	0.40x1000x3000	2026	0.07	0.15	0.1	0.021	0.015	402	423	65	154
2025/5/1	13	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	397	417	65	151
2025/5/1	14	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	399	418	65	153
2025/5/1	15	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	395	417	67	154
2025/5/1	16	0.40x1000x3000	2040	0.07	0.15	0.1	0.021	0.015	397	417	65	153
2025/5/1	17	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	395	415	66	154
2025/5/1	18	0.40x1000x3000	2042	0.07	0.15	0.1	0.021	0.015	402	422	67	154
2025/5/1	19	0.40x1000x3000	2048	0.07	0.15	0.1	0.021	0.015	402	423	65	154
2025/5/1	20	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	405	425	66	153
2025/5/1	21	0.40x1000x3000	2028	0.07	0.15	0.1	0.021	0.015	397	417	65	154
2025/5/1	22	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	395	415	66	154
2025/5/1	23	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	402	422	67	151
2025/5/1	24	0.40x1000x3000	2028	0.07	0.15	0.1	0.021	0.015	402	423	65	151
2025/5/1	25	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	405	425	66	153
2025/5/1	26	0.40x1000x3000	2040	0.07	0.15	0.1	0.021	0.015	405	425	66	153
2025/5/1	27	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	403	425	65	153
2025/5/1	28	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	405	424	66	153
2025/5/1	29	0.40x1000x3000	2030	0.07	0.15	0.1	0.021	0.015	393	414	67	152
2025/5/1	30	0.40x1000x3000	2038	0.07	0.15	0.1	0.021	0.015	402	422	67	154
2025/5/1	31	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	399	418	65	151
2025/5/1	32	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	395	417	67	153
2025/5/2	33	0.40x1000x3000	2024	0.07	0.15	0.1	0.021	0.015	397	417	65	154



山东冠县富沃德复合材料有限公司
Shandong Guanxian Forward Composite Materials Co.,LTD.

品质证明书 MILL TEST CERTIFICATE

订货单位 CUSTOMER		CHUANGYUAN INVESTMENT (SINGAPORE) PTE. LTD		产品名称 PRODUCT		镀铝锌平板 GALVALUME STEEL SHEETS								
标准 SPECIFICATION		ASTM A792		钢牌号 GRADE OF STEEL		SS37		合同号 CONTRACT NO.		2025032701				
				签发日期 DATE OF ISSUE		2025.5.6		交货日期 DATE OF DELIVERY						
生产日期 Production date				规格及重量 MATERIAL DESCRIPTION		化学成分 CHEMICAL COMPOSITION% (熔炼分析 HEAT ANALYSIS)					力学性能 mechanic performance			
卷号 NO.				规格 (mm) specification		重量 MASS		C	Si	Mn	P	S	屈服点 Yield point N/mm2	抗拉 T.S Mpa
2025/5/2	34	0.40x1000x3000	2052	0.07	0.15	0.1	0.021	0.015	395	415	66	153		
2025/5/2	35	0.40x1000x3000	2038	0.07	0.15	0.1	0.021	0.015	402	422	67	154		
2025/5/2	36	0.40x1000x3000	2042	0.07	0.15	0.1	0.021	0.015	402	423	65	154		
2025/5/2	37	0.40x1000x3000	2042	0.07	0.15	0.1	0.021	0.015	397	417	65	154		
2025/5/2	38	0.40x1000x3000	2040	0.07	0.15	0.1	0.021	0.015	395	415	66	153		
2025/5/2	39	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	402	422	67	154		
2025/5/2	40	0.40x1000x3000	2038	0.07	0.15	0.1	0.021	0.015	402	423	65	154		
2025/5/2	41	0.40x1000x3000	2040	0.07	0.15	0.1	0.021	0.015	405	424	66	151		
2025/5/2	42	0.40x1000x3000	2036	0.07	0.15	0.1	0.021	0.015	393	414	67	151		
2025/5/2	43	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	402	422	67	153		
2025/5/2	44	0.40x1000x3000	2034	0.07	0.15	0.1	0.021	0.015	399	418	65	153		
2025/5/2	45	0.40x1000x3000	2042	0.07	0.15	0.1	0.021	0.015	395	417	67	152		
2025/5/2	46	0.40x1000x3000	2040	0.07	0.15	0.1	0.021	0.015	397	417	65	152		
2025/5/2	47	0.40x1000x3000	2038	0.07	0.15	0.1	0.021	0.015	395	415	66	155		
2025/5/2	48	0.40x1000x3000	2028	0.07	0.15	0.1	0.021	0.015	403	425	65	153		
2025/5/2	49	0.40x1000x3000	2042	0.07	0.15	0.1	0.021	0.015	405	424	66	153		
2025/5/2	50	0.40x1000x3000	2028	0.07	0.15	0.1	0.021	0.015	393	414	67	152		
2025/5/2	51	0.40x1000x3000	2038	0.07	0.15	0.1	0.021	0.015	402	422	67	154		
2025/5/2	52	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	399	418	65	151		
2025/5/2	53	0.40x1000x3000	2032	0.07	0.15	0.1	0.021	0.015	395	417	67	153		
2025/5/2	54	0.40x1000x3000	2084	0.07	0.15	0.1	0.021	0.015	397	417	65	154		
		109988												
		证明本表所列制品，均依材料规格制造及试验，并符合规格之要求												
		WE HEREBY CERTIFY THAT THE MATERIAL DESCRIBED HEREIN HAS BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULT IN ACCORDANCE WITH THE REQUIREMENT OF THE ABOVE MATERIAL SPECIFICATION.												

