



CUSTOMER	SAMSUNG C&T CORPORATION	PRODUCT	HOT ROLLED CHECKER STEEL CUT SHEET	DELTAIL NO.	202410180838	CERTIFICATE NO.	BR-24X002064
PURCHASER	新钢公司九江分公司 (XGEC-324090164K)	SPECIFICATION	ASTM A36/A36M-2008 Q/XGJ202-2011	STATE OF DELIVERY (2)	AR	DATE OF ISSUE	2024-10-19
CONTRACT NO.	XGEC-324090164K	LICENSE NO.		TRAIN NO.	赣C8B243	DATE OF DELIVERY	2024-10-19

NO	PACKAGE NO.	HEAT NO.	STEEL GRADE	MATERIAL DESCRIPTION						CHEMICAL COMPOSITION %												
				THICK	WIDTH	LENGTH	QTY	WEIGHT MT	分析区分 (1)	C	Si	Mn	P	S	Cr	Ni	Cu	N				
				mm																		
1	R24042428A040-B05	J41-10339A	H-A36	3	1000	3000	27	1.93	L	0.14	0.08	0.36	0.021	0.005	0.02	0.01	0.04	0.003				

NO	PACKAGE NO.	试验区分 (3)	拉伸试验 TENSILE TEST				位置方向 (4)	温度 T	屈服 Y.S	抗拉 T.S	伸长率 E.L													
			ReL	Rm	A50mm																			
			°C	MPa	MPa	%																		
1	R24042428A040-B05	B	T	R.T.	315	445	24.5																	

TOTAL PIECES	27	TOTAL MT	1.93	ACCEPTABLE VISUAL AND DIMENSIONS	合格 PASS	PRODUCT TYPE	Q.P.
--------------	----	----------	------	----------------------------------	---------	--------------	------

REMARKS	
---------	--

NOTES	(1)分析区分 ANALYSIS: L=熔炼分析 LADLE ANALYSIS. P=成品分析 PRODUCT ANALYSIS. (2)交货状态 STATE OF DELIVERY: AR=热轧 AS HOT ROLLED (3)试验区分 SAMPLING POSITION: B=尾部 BOTTOM. H=头部 TOP. A=任意 Any. (4)位置方向 LOCATION AND ORIENTATION: S=表面 SURFACE. C=横截面 Cross Section. T=横向 TRANS. D=45°. L=纵向 LONGI. Z=厚度方向 THROUGH-THICK.	汪承星
-------	--	-----

<p>本产品已按上述要求进行制造和检验,其结果符合要求,特此证明。(符合 EN 10204 3.1证书)</p> <p>WE HEREBY CERTIFY THAT THE MATERIALS DESCRIBED HEREIN HAVE BEEN MANUFACTURED AND TESTED WITH SATISFACTORY RESULTS.</p> <p>(THE CERTIFICATE IS IN CONFORMITY WITH EN 10204 3.1)</p>	QUALITY INSPECT STAT
--	----------------------

